

**Notice of Allowability**

Application No.

09/995,098

Examiner

Davienne Monbleau

Applicant(s)

WENDLANDT, WILLIAM C.

Art Unit

2878

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to \_\_\_\_\_.
2. ☒ The allowed claim(s) is/are 1-9.
3. ☒ The drawings filed on 27 November 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
  - (a) ☐ The translation of the foreign language provisional application has been received.
6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No. \_\_\_\_\_.
  - (b) ☐ including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner.
  - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |  |   |
|--|---|
| 1 <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 5 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)          |
| 2 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 6 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____.            |
| 3 <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. <u>11/27/01</u> | 7 <input checked="" type="checkbox"/> Examiner's Amendment/Comment                  |
| 4 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material                     | 8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
|  | 9 <input type="checkbox"/> Other  |

## **EXAMINER'S AMENDMENT AND STATEMENT OF REASONS FOR ALLOWANCE**

### ***Information Disclosure Statement***

The IDS filed on 11/27/01 has been acknowledged and a signed copy of the PTO-1449 is attached herein.

### ***Allowable Subject Matter***

Claims 1-9 are allowed.

The following is an examiner's statement of reasons for allowance: the cited prior art of record does not teach or fairly suggest a computed radiography cassette comprising, along with the other claimed features, an insert plate and lower panel made of x-ray opaque material having aligned sections thereof of x-ray transmissive material which allow x-rays to pass through said sections to and to an x-ray detector adapted to be located adjacent to said cassette.

The cited prior or record is distinguishable from the Applicant's claimed invention because the prior art insert plate has a continuous plane of storage phosphor. The x-rays are absorbed by the phosphor, not transmitted through an x-ray transmissive section (as the Applicant claims). Furthermore, there is no x-ray detector, but rather a photodetector that detects a signal emitted from the stimulated phosphor, which is only indicative of the x-ray energy.

In particular, Wendlandt et al. (US 5,869,839) is distinguishable from Applicant's claimed invention because it does not teach or fairly suggest that the insert plate and lower panel include aligned sections of x-ray transmissive material. The Examiner additionally notes that while it is known in the art (Mosby US 4,943,991) to use a contoured cassette (the cutouts

Art Unit: 2878

suggesting aligned x-ray transmissive portions), such cutout portions are non-imaging (i.e. not including film or phosphor material) and therefore do not facilitate improved automatic exposure control.

The advantages of these features are in the specification on pages 1, 2 and 5. In particular, these features provide a cassette that is more x-ray transmissive in applications, such as mammography, where x-rays passing through the cassette are detected for automatic exposure control devices that control patient exposure to x-rays. Additionally, the greater x-ray transmissivity facilitates the use of the cassette in applications, such as mammography, where lower x-ray exposure is used.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Davienne Monbleau whose telephone number is 703-306-5803. The examiner can normally be reached on Mon-Fri 9:00 am to 5:00 pm.

Application/Control Number: 09/995,098

Page 4


Art Unit: 2878

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Porta can be reached on 703-308-4852. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

*Danielle Menblen*

DNM

  
DAVID PORTA  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2800